

ABB 变频器用制动电阻

(编制：北京德润电器有限公司)

说明：标配 ABB ACS550/510 系列变频器

说明：超出该范围及用于起升、爬坡负载：如电梯、起重吊钩、矿山提升机、倾斜式输送机等情况需定制

变频器型号	变频器功率	原装制动电阻订货号	德润订货号
ACS550-01-03A3-4	1.1	CBR-V210DT281200R	BRB0-CF00B00
ACS550-01-04A1-4	1.5	CBR-V210DT281200R	BRB0-CF00B00
ACS550-01-05A4-4	2.2	CBR-V210DT281200R	BRB0-CF00B00
ACS550-01-06A9-4	3	CBR-V460DT42180R	BRB0-GI000H0
ACS550-01-08A8-4	4	CBR-V460DT42180R	BRB0-GI000H0
ACS550-01-012A-4	5.5	CBR-V460DT42180R	BRB0-GI000H0
ACS550-01-015A-4	7.5	CBR-V460DT42180R	BRB0-GI000H0
ACS550-01-023A-4	11	CBR-V460DT42180R	BRB0-GI000H0
ACS550-01-031A-4	15	已内置	
ACS550-01-038A-4	18.5	已内置	
ACS550-01-045A-4	22	已内置	
ACS550-01-059A-4	30	已内置	
ACS550-01-072A-4	37	已内置	
ACS550-01-087A-4	45	已内置	
ACS550-01-125A-4	55	SAFUR125F500	BRXI-K00000D
ACS550-01-157A-4	75	SAFUR125F500	BRXI-K00000D
ACS550-01-180A-4	90	SAFUR125F500	BRXI-K00000D
ACS550-01-195A-4	110	SAFUR200F500	BRXA-CKE0BPG
ACS550-01-246A-4	132	SAFUR200F500	BRXA-CKE0BPG

说明：标配 ABB ACS800系列变频器 $U_N=230V$ (208-240V)

说明：超出该范围及用于起升、爬坡负载：如电梯、起重吊钩、矿山提升机、倾斜式输送机等情况需定制

变频器型号	变频器功率 (KW)	原装制动电阻订货号	德润订货号
ACS800-01-0001-2	1.1	SACE08RE44	BRBA-K0000DD
ACS800-01-0002-2	1.5	SACE08RE44	BRBA-K0000DD
ACS800-01-0003-2	1.5	SACE08RE44	BRBA-K0000DD
ACS800-01-0004-2	2.2	SACE08RE44	BRBA-K0000DD
ACS800-01-0005-2	3	SACE15RE22	BRBB-K0000BB
ACS800-01-0006-2	4	SACE15RE22	BRBB-K0000BB
ACS800-01-0009-2	5.5	SACE15RE22	BRBB-K0000BB
ACS800-01-0011-2	7.5	SACE08RE13	BRBB-K0000AC
ACS800-01-0016-2	11	SAFUR90F575	BRXD-KE0000H
ACS800-01-0020-2	15	SAFUR90F575	BRXD-KE0000H
ACS800-01-0025-2	18.5	SAFUR80F500	BRXF-K00000F
ACS800-01-0030-2	22	SAFUR125F500	BRXI-K00000D
ACS800-01-0040-2	30	SAFUR125F500	BRXIK00000D
ACS800-01-0050-2	37	2* SAFUR125F500	BRG1(2)A-HK0000B
ACS800-01-0060-2	45	2*SAFUR125F500	BRG1(2)A-HK0000B
ACS800-01-0070-2	55	2*SAFUR125F500	BRG1(2)A-HK0000B

说明：标配 ABB ACS800系列变频器 $U_N=400V$ (380-415V)

说明：超出该范围及用于起升、爬坡负载：如电梯、起重吊钩、矿山提升机、倾斜式输送机等情况需定制

变频器型号	变频器功率 (KW)	原装制动电阻订货号	德润订货号
北京德润电器出品 www.sdrdq.cn			

ACS800-01-0003-3	1.5	SACE08RE44	BRBA-K0000DD
ACS800-01-0004-3	2.2	SACE08RE44	BRBA-K0000DD
ACS800-01-0005-3	3	SACE08RE44	BRBA-K0000DD
ACS800-01-0006-3	4	SACE08RE44	BRBA-K0000DD
ACS800-01-0009-3	5.5	SACE08RE44	BRBA-K0000DD
ACS800-01-0011-3	7.5	SACE15RE22	BRBB-K0000BB
ACS800-01-0016-3	11	SACE15RE22	BRBB-K0000BB
ACS800-01-0020-3	15	SACE15RE22	BRBB-K0000BB
ACS800-01-0025-3	22	SACE15RE13	BRBB-K0000AC
ACS800-01-0030-3	30	SACE15RE13	BRBB-K0000AC
ACS800-01-0040-3	37	SAFUR90F575	BRXD-KE0000H
ACS800-01-0050-3	45	SAFUR90F575	BRXD-KE0000H
ACS800-01-0060-3	55	SAFUR90F575	BRXD-KE0000H
ACS800-01/07-0070-3	75	SAFUR80F500	BRXF-K00000F
ACS800-01/07-0100-3	90	SAFUR125F500	BRXI-K00000D
ACS800-01/07-0120-3	110	SAFUR125F500	BRXI-K00000D
ACS800-01/07-0135-3	110	SAFUR200F500	BRXA-CKE0BPG
ACS800-01/07-0165-3	132	SAFUR200F500	BRXA-CKE0BPG
ACS800-02/04/07-0140-3	110	SAFUR200F500	BRXA-CKE0BPG
ACS800-02/04/07-0170-3	132	SAFUR200F500	BRXA-CKE0BPG
ACS800-02/04/07-0210-3	160	SAFUR200F500	BRXA-CKE0BPG
ACS800-02/04/07-0260-3	200	2*SAFUR210F575	BRG1(2)B-AK00APG
ACS800-02/04/07-0320-3	250	2*SAFUR200F500	BRG1(2)B-GK0APCE
ACS800-02/04/07-0400-3	315	4*SAFUR125F500	BRG1(2)C-FK0000A

ACS800-02/04/07-0440-3	355	4*SAFUR210F575	BRG1(2)D-BK00PHE
ACS800-02/04/07-0490-3	400	4*SAFUR210F575	BRG1(2)D-BK00PHE

说明：标配 ABB ACS800 系列变频器 $U_N=500V$ (380-500V)

说明：超出该范围及用于起升、爬坡负载：如电梯、起重吊钩、矿山提升机、倾斜式输送机等情况需定制

变频器型号	变频器功率 (KW)	原装制动电阻订货号	德润订货号
ACS800-01-0004-5	2.2	SACE08RE44	BRBA-K0000DD
ACS800-01-0005-5	3	SACE08RE44	BRBA-K0000DD
ACS800-01-0006-5	4	SACE08RE44	BRBA-K0000DD
ACS800-01-0009-5	5.5	SACE08RE44	BRBA-K0000DD
ACS800-01-0011-5	7.5	SACE08RE44	BRBA-K0000DD
ACS800-01-0016-5	11	SACE15RE22	BRBB-K0000BB
ACS800-01-0020-5	15	SACE15RE22	BRBB-K0000BB
ACS800-01-0025-5	18.5	SACE15RE22	BRBB-K0000BB
ACS800-01-0030-5	22	SACE15RE13	BRBB-K0000AC
ACS800-01-0040-5	30	SACE15RE13	BRBB-K0000AC
ACS800-01-0050-5	37	SAFUR90F575	BRXD-KE0000H
ACS800-01-0060-5	45	SAFUR90F575	BRXD-KE0000H
ACS800-01-0070-5	55	SAFUR90F575	BRXD-KE0000H
ACS800-01-0105-5	90	SAFUR80F500	BRXF-K00000F
ACS800-01/07-0100-5	75	SAFUR125F500	BRXI-K00000D
ACS800-01/07-0120-5	90	SAFUR125F500	BRXI-K00000D
ACS800-01/07-0140-5-	110	SAFUR125F500	BRXI-K00000D
ACS800-01/07-0165-5	132	SAFUR125F500	BRXI-K00000D

ACS800-01/07-0205-5	160	SAFUR125F500	BRXI-K00000D
ACS800-02/04/07-0170-5	132	SAFUR200F500	BRXA-CKE0BPG
ACS800-02/04/07-0210-5	160	SAFUR200F500	BRXA-CKE0BPG
ACS800-02/04/07-0260-5	200	SAFUR200F500	BRXA-CKE0BPG
ACS800-02/04/07-0320-5	250	2*SAFUR125F500	BRG1(2)A-HK0000B
ACS800-02/04/07-0400-5	315	2*SAFUR210F575	BRG1(2)B-AK00APG
ACS800-02/04/07-0440-5	355	2*SAFUR200F500	BRG1(2)B-GK0APCE
ACS800-02/04/07-0490-5	400	2*SAFUR200F500	BRG1(2)B-GK0APCE
ACS800-02/04/07-0550-5	450	4*SAFUR125F500	BRG1(2)C-FK0000A
ACS800-02/04/07-0610-5	500	4*SAFUR125F500	BRG1(2)C-FK0000A

说明：标配 ABB ACS800 系列变频器 $U_N=690V$ (525-690V)

说明：超出该范围及用于起升、爬坡负载：如电梯、起重吊钩、矿山提升机、倾斜式输送机等情况需定制

变频器型号	变频器功率 (KW)	原装制动电阻订货号	德润订货号
ACS800-01-0011-7	11	SACE08RE44	BRBA-K0000DD
ACS800-01-0016-7	15	SACE08RE44	BRBA-K0000DD
ACS800-01-0020-7	18.5	SACE08RE44	BRBA-K0000DD
ACS800-01-0025-7	22	SACE15RE44	BRBB-K0000DD
ACS800-01-0030-7	30	SACE15RE22	BRBB-K0000BB
ACS800-01-0040-7	30	SACE15RE22	BRBB-K0000BB
ACS800-01-0050-7	45	SACE15RE13	BRBB-K0000AC
ACS800-01-0060-7	55	SACE15RE13	BRBB-K0000AC
ACS800-01/07-0070-7	75	SAFUR90F575	BRX0-DKE000H
ACS800-01/07-0100-7	90	SAFUR90F575	BRX0-DKE000H

ACS800-01/07-0120-7	110	SAFUR80F500	BRX0-0FK000F
ACS800-01/07-0145-7	132	SAFUR90F575	BRX0-DKE000H
ACS800-01/07-0175-7	160	SAFUR80F500	BRX0-0FK000F
ACS800-01/07-0205-7	160	SAFUR80F500	BRX0-0FK000F
ACS800-02/04/07-0140-7	132	SAFUR80F500	BRX0-0FK000F
ACS800-02/04/07-0170-7	160	SAFUR80F500	BRX0-0FK000F
ACS800-02/04/07-0210-7	160	SAFUR80F500	BRX0-0FK000F
ACS800-02/04/07-0260-7	200	SAFUR80F500	BRX0-0FK000F
ACS800-02/04/07-0320-7	315	SAFUR200F500	BRXA-CKE0BPG
ACS800-02/04/07-0400-7	355	SAFUR200F500	BRXA-CKE0BPG
ACS800-02/04/07-0440-7	400	SAFUR200F500	BRXA-CKE0BPG
ACS800-02/04/07-0490-7	450	2*SAFUR125F500	BRG1(2)A-HK0000B
ACS800-02/04/07-0550-7	500	2*SAFUR125F500	BRG1(2)A-HK0000B
ACS800-02/04/07-0610-7	560	2*SAFUR125F500	BRG1(2)A-HK0000B

说明：标配 ABB ACS800-07系列变频器

说明：超出该范围及用于起升、爬坡负载：如电梯、起重吊钩、矿山提升机、倾斜式输送机等情况需定制

变频器型号	变频器功率 (KW)	原装制动电阻订货号	德润订货号
U_N=400V (380-415V)			
ACS800-07-0610-3+D150	500	/	2*BRG1(2)I-FK0APB0
ACS800-07-0770-3+D150	630	/	2*BRG1(2)I-FK0APB0
ACS800-07-0870-3+D150	710	/	3*BRG1(2)I-FK0APB0
ACS800-07-1030-3+D150	800	/	3*BRG1(2)I-FK0APB0

ACS800-07-0610-3+D150+D15 1	500	2* (2*SAFUR180F460)	2*BRG1(2)E-DK0APB0
ACS800-07-0770-3+D150+D15 1	630	2* (2*SAFUR180F460)	2*BRG1(2)E-DK0APB0
ACS800-07-0870-3+D150+D15 1	710	3* (2*SAFUR180F460)	3*BRG1(2)E-DK0APB0
ACS800-07-1030-3+D150+D15 1	800	3* (2*SAFUR180F460)	3*BRG1(2)E-DK0APB0
U_N=500V (380-500V)			
ACS800-07-0760-5+D150	630	/	2*BRG1(2)A-0IKAPDC
ACS800-07-0910-5+D150	710	/	2*BRG1(2)A-0IKAPDC
ACS800-07-1090-5+D150	900	/	3*BRG1(2)A-0IKAPDC
ACS800-07-1210-5+D150	1000	/	3*BRG1(2)A-0IKAPDC
ACS800-07-0760-5+D150+D15 1	630	2* (2*SAFUR200F500)	2*BRG1(2)A-0HKAPCE
ACS800-07-0910-5+D150+D15 1	710	2* (2*SAFUR200F500)	2*BRG1(2)A-0HKAPCE
ACS800-07-1090-5+D150+D15 1	900	3* (2*SAFUR200F500)	3*BRG1(2)A-0HKAPCE
ACS800-07-1210-5+D150+D15 1	1000	3* (2*SAFUR200F500)	3*BRG1(2)A-0HKAPCE
U_N=690V (525-690V)			
ACS800-07-0750-7+D150	630	/	2*BRG1(2)A-AIKBPGB
ACS800-07-0870-7+D150	710	/	2*BRG1(2)A-AIKBPGB

ACS800-07-1060-7+D150	800	/	3*BRG1(2)A-AIKBPGB
ACS800-07-1160-7+D150	900	/	3*BRG1(2)A-AIKBPGB
ACS800-07-0750-7+D150+D15 1	630	2* (2*SAFUR200F500)	2*BRG1(2)A-0HKAPCE
ACS800-07-0870-7+D150+D15 1	710	2* (2*SAFUR200F500)	2*BRG1(2)A-0HKAPCE
ACS800-07-1060-7+D150+D15 1	800	3* (2*SAFUR200F500)	3*BRG1(2)A-0HKAPCE
ACS800-07-1060-7+D150+D15 1	900	3* (2*SAFUR200F500)	3*BRG1(2)A-0HKAPCE

说明：标配 ABB ACS800-37系列变频器

说明：超出该范围及用于起升、爬坡负载：如电梯、起重吊钩、矿山提升机、倾斜式输送机等情况需定制

变频器型号	变频器功率 (KW)	原装制动电阻订货号	德润订货号
$U_N=400V (380-415V)$			
ACS800-37-0060---0170-3+D150			BRG1(2)G-0K0APG0
ACS800-37-0210---0510-3+D150			BRG1(2)I-FK0APB0
ACS800-37-0640---0770-3+D150			2*BRG1(2)I-FK0BPB0
ACS800-37-0960-3+D150	/		3*BRG1(2)I-FK0BPB0
ACS800-37-0060---0170-3+D150+D151	/	2*SAFUR210F575	BRG1(2)D-BK0APG0

ACS800-37-0210---0510-3+D150+D151	/	2*SAFUR180F460	BRG1(2)E-DK0APB0
ACS800-37-0640---0770-3+D150+D151	/	2* (2*SAFUR180F460)	2*BRG1(2)E-DK0APB0
ACS800-37-0960-3+D150+D151	/	3* (2*SAFUR180F460)	3*BRG1(2)E-DK0APB0
$U_N=500V$ (380-500V)			
ACS800-37-0070---0210-5+D150	/		BRG1(2)H-AK0BP AE
ACS800-37-0260---0610-5+D150	/		BRG1(2)A-0IKAPDC
ACS800-37-0780---0870-5+D150	/		2*BRG1(2)A-0IKAPDC
ACS800-37-1160-5+D150	/		3*BRG1(2)A-0IKAPDC
ACS800-37-0070---0210-5+D150+D151	/	2*SAFUR125F500	BRG1(2)A-HK0000B
ACS800-37-0260---0610-5+D150+D151	/	2*SAFUR200F500	BRG1(2)B-GK0APCE
ACS800-37-0780---0870-5+D150+D151	/	2* (2*SAFUR200F500)	2*BRG1(2)A-0HKAPCE
ACS800-37-1160-5+D150+D151	/	3* (2*SAFUR200F500)	3*BRG1(2)A-0HKAPCE
$U_N=690V$ (525-690V)			
ACS800-37-0170---0540-7+D150	/		BRG1(2)A-AIKBPGB

ACS800-37-0790---0870-7+D150	/		2*BRG1(2)A-AIKBPGB
ACS800-37-1160-7+D150	/	北京德润电器出品 www.sdrdq.cn	3*BRG1(2)A-AIKBPGB
ACS800-37-0170---0540-7+D150	/	2*SAFUR200F500	BRG1(2)B-GK0APCE
ACS800-37-0790---0870-7+D150	/	2* (2*SAFUR200F500)	2*BRG1(2)A-0HKAPCE
ACS800-37-1160-7+D150	/	3* (2*SAFUR200F500)	3*BRG1(2)A-0HKAPCE